

10.4" **move**monitor



specifications



10.4" Move Monitor



Overview

The 10.4" Move monitor is a high quality LED touch display interface for vehicles. The move monitor is specially designed to operate in harsh environments such as sustaining extreme shock and vibrations. It offers a sunlight readable touch-panel mountable on a din rail mount or VESA. It also features a dual USB and RS232 touch interface.

Specifications

Description	Specification	
Series	Rail mount LED touch monitor	
Display Size	10.4"	
Aspect Ratio	4:3	
Contrast Ratio	700:1	
Monitor Dimensions	Width:	274.5mm
	Height:	184.3mm
	Depth:	30mm
Native Resolution	1024 x 768	
Support Colours	256K	
Audio	2 x 1.8W	
Video Input	VGA, 3x Composite	

Description	Specification	
Power Supply	Type:	External
	Input Voltage:	7-36V DC automotive car/truck suitable
Environment	Operating Temperature:	-35 ~ 75 °C
	Storage Temperature:	-40 ~ 85 °C
Weight	900g	
Power Consumption	10W maximum	
Mount Interface	VESA:	75 mm
	Mount Bracket:	Rail mount & stand alone
OSD Control	Functions:	Brightness, Contrast Ratio, Auto-Adjust, Languages, Function, Reset, sound
Touch Interface	USB and Serial (RS232)	
Certificates	CE, RoHS, e-mark*	

In the Box

- 10.4" LED Touch Monitor
- Rail mount stand
- Cables: Power Cable, Serial / USB Touch Cable, Video Cables, Audio in
- Stylus
- Instruction Manual

Mechanical Drawings

Figure 1

